Coleps viridis (Ehrenberg, 1831)

Most likely ID: n.a.

Synonym: Coleps hirtus viridis

Sampling location: Pond of the camping site Dingelsdorf

Phylogenetic tree: Coleps hirtus

Diagnosis:

- body barrel-shaped
- length 44-63 μm, width 21-35 μm
- cells green due to symbiotic algae
- apical mouth opening with basket
- uniform ciliation
- 12-16 longitudinal rows of plates
- anterior and posterior main plate with each 4 "windows"
- shape of the "windows" in the armour are pretzel-shaped
- contractile vacuole terminal
- macronucleus spherical
- one caudal cilium
- 1-4 short spines at posterior end

No drawings from previous authors available.

The species Coleps viridis was established by Ehrenberg in 1831, but later considered as a form of Coleps hirtus by Kahl and named Coleps hirtus viridis. It was not until 2021 that Pröschold et al. subjected Coleps hirtus viridis to morphological and genetic analysis, including symbiotic algae. As a result of the study, Pröschold et al. re-established the original name Coleps virdis and were able to identify the symbiotic algae as Micractinium conductrix.

In my population all specimens of *Coleps viridis* were smaller than 50 µm. Because of the

small size the species is probably often overlooked or confused with *Coleps hirtus* or *Coleps* <u>hirtus var. minor</u>. At low magnifications the cells appear opaque black. Only at higher magnifications the green coloration becomes visible due to the symbiotic algae (s. figs. 1 a-d and 2 a-c). I could count 15-30 symbiotic algae in each cell. The algae cells have a cupshaped chloroplast with a pyrenoid, are spherical and have a diameter of about 5.0 -5.4 µm (s. fig. 3). Thus, they correspond to the description of Micractinium conductrix by Pröschold et al. Coleps virdis has one caudal cilium (s. figs. 1 c and 2 a-b) and the armour is of the Coleps hirtus type. That means each main plate has 4 "windows" which are pretzel-shaped (s. fig. 4).




Fig. 1 a-d: Coleps viridis. $L = 47 \mu m$. A freely swimming specimen. CC = caudal cilium, Ma = macronucleus, Mi = probably the micronucleus, MO = mouth opening, PS = posterior spine, SA = symbiotic algae. Obj. 60 X.





Fig. 2 a-c: Coleps viridis. L = 44 μm . A second, freely swimming specimen. Obj. 60 X.



Fig. 3: Coleps viridis. A squashed specimen with the released symbiotic algae. The algae are spherical with a diameter of 5.0–5.4 $\mu m,\,a$ cup shaped chloroplast and one pyrenoid (PY). Obj. 100 X.



 ${f Fig.~4:}\ {\it Coleps~viridis}.$ In the anterior main plate as well as in the posterior main plate are 4 "windows" (1-4) each. The "windows" are pretzel-shaped (arrows). Obj. 100 X.