

***Epalexella exigua* (Penard, 1922)**

Most likely ID: n.a.


Synonym: *Epalxis exigua*

Sampling location: [Purren pond, Simmelried](#)

Phylogenetic tree: [*Epalexella exigua*](#)

Diagnosis:

- body oval, laterally flattened
- length 20–30 µm
- both sides flat
- pellicle armour-like
- no posterior spines
- two indentations at posterior end of left side
- C-shaped ridge running in parallel to dorsal edge on right side
- one long cirrus at posterior end of left side
- elongated dorsal cilia
- frontal tooth inconspicuous
- single macronucleus and micronucleus



after Kahl

Epalxella exigua

I find *Epalxella exigua* rarely and sporadically in the mud of [Simmelried](#). I found specimens in January 2009 (s. fig. 3a-c) and in May 2021 (s. fig. 1a-c and fig. 2a-c). I recognize *Epalxella exigua* mainly by the C-shaped furrow on the right side (s. fig. 1a), the long posterior cirrus on the left side at the hind end (s. fig. 2b and fig. 3a) and the two indentations at the posterior end of the left side (s. fig. 2a and fig. 3b).




Fig. 1 a-c: *Epalkella exigua*. L = 28 µm. Lateral view of the right side of a slightly squashed specimen. Note the C-shaped ridge (CR) running in parallel to the dorsal edge on the right side. AZM = adoral zone of membranelles. Ma = macronucleus. Obj. 100 X.




Fig. 2 a-c: *Epalkella exigua*. L = 28 µm. Lateral view of the left side of a slightly squashed specimen. Note the two indentations at posterior end of the left side (PI). Ma = macronucleus, PC = posterior cirrus. Obj. 100 X.




Fig. 3 a-c: *Epalkella exigua*. L = 26 µm. Lateral view of a second specimen. EDC = elongated dorsal cilia, PI = posterior indentations, PC = posterior cirrus. Obj. 100 X.