

***Platyias quadricornis* Ehrenberg, 1832**

Most likely ID: n.a.


Synonym: n. a.

Sampling locations: [Ulmisried](#), [Simmelried](#)

Phylogenetic tree: [Platyias quadricornis](#)

Diagnosis:

- length 174–360 µm
- anterior end of lorica with two ventrally curved spines
- posterior end of lorica with 2 spines
- lorica with pattern of fields and ornamentation, shape of fields variable
- foot tripartite
- 2 slender toes, pointed distally
- no eyespot
- foot tube without spines



after Wulfert

Platytias quadricornis

I find *Platytias quadricornis* in [Ulmis Ried](#) as well as in [Simmelried](#) regularly, but rarely. Mostly specimens are found in samples of floating or decaying plant masses. *Platytias quadricornis* is quickly recognized even at low magnifications because the flanks of the lorica are concavely rounded and there are two prominent spines on both the anterior and posterior margins. The lorica is also conspicuously and strongly granulated.

More images and information of *Platytias quadricornis*: [Michael Plewka-Freshwater life-Platytias quadricornis](#)

Platyias quadricornis
Obj. 20 X



Fig. 1 a-b: *Platyias quadricornis*. L = 300 μ m (with foot). Ventral view of a slightly squashed specimen with a fully extended foot in brightfield illumination. Obj. 20 X.

Platyias quadricornis
Obj. 60 X



© Martin Kreutz

Fig. 2: *Platyias quadricornis*. L = 300 μm (with foot). The same specimen as shown in fig. 1 a-b in DIC and higher magnification. Obj. 60 X.

Platyias quadricornis
Obj. 40 X




Fig. 3 a-b: *Platyias quadricornis*. L = 322 μ m (with foot). Ventral view of a second specimen specimen. Note that the foot tube of the lorica is not surrounded by spines. Obj. 40 X.




Fig. 4 a-b: *Platyias quadricornis*. L = 284 μ m (with foot). Ventral view of a third specimen. Obj. 40 X.




Fig. 5 a-c: *Platylas quadricornis*. L = 270 μ m (with foot). Three focal planes of the dorsal view of a slightly squashed specimen. FT = foot, TO = toes. Obj. 40 X.




Fig. 6: *Platyias quadricornis*. The dorsal lorica with regularly arranged fields and ornamentation in detail. Note the dorsal antenna (DA) and the lateral antennae (LA). Obj. 100 X.



Fig. 7: *Platyias quadricornis*. The trophi in a strongly squashed specimen. Obj. 100 X.