

***Snowella lacustris***

**(Chodat) Komárek & Hindák 1988**

**Most likely ID:** n.a.


**Synonyms:** *Gomphosphaeria lacustris*, *Coelosphaerium lacustre*

**Sampling location:** [Mühlweiher Litzelstetten](#)

**Phylogenetic tree:** [Snowella lacustris](#)

**Diagnosis:**

- colonies spherical or ovoid with mucilaginous envelope
- colonies about 80 µm in diameter
- cells ovoid, length 2–4 µm, width 1.5–3.5 µm
- pale grey-blue or blue-green, without vesicles
- cells in peripheral layer at distal end of branched, mucilaginous stalks
- cells are separated from each other in young colonies
- stalks originating in center of colony
- planktonic lifestyle




### *Snowella lacustris*

I have only found *Snowella lacustris* once before in the plankton of the [Mühlweiher Litzelstetten](#). However, the colonies were very sparse in the plankton samples. *Snowella lacustris* is much rarer in my localities than the similar species [Snowella litoralis](#).

The colonies in my population were all smaller than 30 µm in size (squashed colonies 30–45 µm). Often the spherical colonies were still connected with their gelatinous envelopes, so that I also found agglomerates of 2–6 colonies. The center of the colonies is formed by gelatinous, branched stalks, at the ends of which sit the ovoid cells. The cells are all single-layered in the periphery. They were constantly 4.0–4.2 µm long in my population. The similar species [Snowella litoralis](#) has spherical cells. The similar genus *Gomphosphaeria* has cells more than twice as large (8–12 µm), which remain connected after division and then appear heart-shaped.

*Snowella lacustris*  
Obj. 100 X




a



b

© Martin Kreutz

**Fig. 1 a-b:** *Snowella lacustris*. D = 30-40  $\mu\text{m}$  (of colonies). Two focal planes of four squashed colonies. Note the branche mucilaginous stalk (MS) in the center of the colonies. Obj. 100 X.



**Fig. 2:** *Snowella lacustris*. D = 30-45  $\mu\text{m}$  (of colonies). An agglomerate of 6 squashed colonies. Obj. 100 X.

*Snowella lacustris*  
Obj. 100 X



**Fig. 3:** *Snowella lacustris*. L = 4.0–4.2  $\mu\text{m}$  (of cells). A crop of fig. 2 with the ovoid cells in details. Obj. 100 X.